

## CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED


THICKNESS 10 MM




4100296 Clay41 White 80x80 / 32"x32"



4100312 Clay41 White 8x40 / 3"x16"




4100292 Clay41 White 40x80 / 16"x32"



4100300 Navajo White 80x80 / 32"x32"



4100308  
Mosaic  
Bricky White  
30x30 / 12"x12"



4100325  
Mosaic Clay41 + Navajo  
White  
30x30 / 12"x12"



4100316  
Plus White  
19x19 / 7<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>2</sub>"



4100329  
Esagona  
Navajo White  
22,5x19,5 / 9"x8"

## WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM



4100304 Wood41 White 20x120 / 8"x48"

## WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



\* 4100321 WigWag White 7,5x15 / 3"x6"

\* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE  
PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m <sup>2</sup>	kg/box	Box/pal	m <sup>2</sup> /pal	kg/pal
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE.  
THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF  
PRODUCTION.

## CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED

THICKNESS 10 MM



4100297 Clay41 Grey 80x80 / 32"x32"




4100313 Clay41 Grey 8x40 / 3"x16"




4100293 Clay41 Grey 40x80 / 16"x32"



4100301 Navajo Grey 80x80 / 32"x32"



4100309  
Mosaic  
Bricky Grey  
30x30 / 12"x12"



4100326  
Mosaic Clay41 + Navajo  
Grey  
30x30 / 12"x12"



4100317  
Plus Grey  
19x19 / 7 1/2" x 7 1/2"



4100330  
Esagona  
Navajo Grey  
22,5x19,5 / 9"x8"

## WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM



4100305 Wood41 Grey 20x120 / 8"x48"

## WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



\* 4100322 WigWag Grey 7,5x15 / 3"x6"

\* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE  
PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m <sup>2</sup>	kg/box	Box/pal	m <sup>2</sup> /pal	kg/pal
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE.  
THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF PRODUCTION.

## CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED

THICKNESS 10 MM




4100298 Clay41 Mud 80x80 / 32"x32"




4100314 Clay41 Mud 8x40 / 3"x16"




4100294 Clay41 Mud 40x80 / 16"x32"



4100302 Navajo Mud 80x80 / 32"x32"



4100310  
Mosaic  
Bricky Mud  
30x30 / 12"x12"



4100327  
Mosaic Clay41 + Navajo  
Mud  
30x30 / 12"x12"



4100318  
Plus Mud  
19x19 / 7<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>2</sub>"



4100331  
Esagona  
Navajo Mud  
22,5x19,5 / 9"x8"

## WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM



4100306 Wood41 Mud 20x120 / 8"x48"

## WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



\* 4100323 WigWag Mud 7,5x15 / 3"x6"

\* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE  
PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m <sup>2</sup>	kg/box	Box/pa1	m <sup>2</sup> /pa1	kg/pa1
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE.  
THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF PRODUCTION.

## CLAY41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED


THICKNESS 10 MM




4100299 Clay41 Black 80x80 / 32"x32"



4100315 Clay41 Black 8x40 / 3"x16"




4100295 Clay41 Black 40x80 / 16"x32"



4100303 Navajo Black 80x80 / 32"x32"



4100311  
Mosaic  
Bricky Black  
30x30 / 12"x12"



4100328  
Mosaic Clay41 + Navajo  
Black  
30x30 / 12"x12"



4100319  
Plus Black  
19x19 / 7<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>2</sub>"




4100332  
Esagona  
Navajo Black  
22,5x19,5 / 9"x8"

## WOOD41

TECHNOLOGY PORCELLANATO AD IMPASTO COLORATO - COLORED BODY PORCELAIN

FINISH SPAZZOLATO OPACO RETTIFICATO - BRUSHED NATURAL RECTIFIED

THICKNESS 10 MM




4100307 Wood41 Black 20x120 / 8"x48"

## WIGWAG

TECHNOLOGY MONOPOROSA IN PASTA BIANCA - WHITE BODY SINGLE-FIRED WALL TILE

FINISH LUCIDO / GLOSSY - 8 PATTERNS RANDOMLY MIXED

THICKNESS 10 MM



\* 4100324 WigWag Black 7,5x15 / 3"x6"

\* I SOGGETTI DECORATIVI NON SONO VENDUTI INDIVIDUALMENTE MA SOLO IN UN MIX CASUALE PATTERNS NOT SOLD SEPARATELY BUT ONLY AS A RANDOM MIX

Products	pcs	m <sup>2</sup>	kg/box	Box/pal	m <sup>2</sup> /pal	kg/pal
80x80/32"x32"	2	1,28	28,50	40	51,20	1140,00
40x80/16"x32"	3	0,96	21,50	56	53,76	1204
8x40/3"x16"	32	1,024	22,40	48	49,152	1075,2
Plus	22	0,45	13,20	56	25,2	739,2
Mosaic C + N	10		22,70			
Wood41	5	1,20	26,50	42	50,40	1113,00
WigWag	36	0,405	6,20	144	58,32	892,80
Esagona	19	0,62	12,68	56	34,72	710,08
Bricky	6		12,30			
Batt. 7,5x80	7		10,03			
Batt. 7,5x120	6		10,80			

I TONI DEI DIVERSI ARTICOLI SONO SIMILI MA NON IDENTICI. DATI I DIFFERENTI MATERIALI, FINITURE E TIPOLOGIE PRODUTTIVE. THE TONES OF THE DIFFERENT ITEMS ARE SIMILAR BUT NOT IDENTICAL. GIVEN BY THE DIFFERENT MATERIALS, FINISHES AND TYPES OF PRODUCTION.

## CLAY41



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	CLAY41 NAVAJO
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,2%
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484	thermal shock	unaffected	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650	chemical resistance		unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm2	50 N/ mm2
ISO 10545/7	resistenza all'abrasione visible abrasion resistance	White/Grey/Mud Black	PEI V PEI IV
ASTM C1027	visible abrasion resistance	White/Grey/Mud Black	CLASS V CLASS IV
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
ASTM C1378	stain resistance	≥ CLASSE 3	5
DIN 51130	scivolosità anti-slip		R10
DCOF	dynamic coefficient of friction	> 0,42	0,62 Clay41 0,78 Navajo
ANSI A137.1	aesthetic classes	V0-V4	V1

## WOOD41



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	WOOD41
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,2 %
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C484	thermal shock	unaffected	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C1026	frost/freeze resistance	unaffected	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	resiste resistant
ASTM C650	chemical resistance		unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm2	44 N/ mm2
ISO 10545/7	resistenza all'abrasione visible abrasion resistance	White/Grey/Mud Black	PEI V PEI IV
ASTM C1027	visible abrasion resistance	White/Grey/Mud Black	CLASS V CLASS IV
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	5
ASTM C1378	stain resistance	≥ CLASSE 3	5
DIN 51130	scivolosità anti-slip		R9
DCOF	dynamic coefficient of friction	> 0,42	0,54
ANSI A137.1	aesthetic classes	V0-V4	V1