

UPGRADE



UPGRADE

Allure post-industriale
per interni ed esterni contemporanei
grazie ad UPGRADE.

L'effetto cemento dei pavimenti delle vecchie fabbriche
trasforma lo spazio abitativo più anonimo
in un elegante contesto dal gusto metropolitano.

Dopo la posa l'aspetto del pavimento
è volutamente non uniforme,
perché differenti tra loro sono le piastrelle stesse.
Disponibili in quattro tonalità di colore.

Di grande suggestione
l'utilizzo del decoro Factory anche a pavimento.

UPGRADE è adatta anche per l'esterno
grazie alla versione 20 mm
che può essere applicata mediante posa a secco
su sabbia, ghiaia o erba, ma anche sopraelevata
grazie ad appositi supporti.

*Post-industrial allure for contemporary
indoor and outdoor spaces thanks to UPGRADE.*

*The cement effect of old factory flooring
transforms even the most anonymous living space
into an area of elegant design and metropolitan taste.*

*After installation, the look of the floor
is purposefully not uniform, because the tiles themselves
are different from one another.*

Available in four color shades.

*The effect of Factory décor as flooring
is also highly impressive.*

*UPGRADE is also suitable for outdoor use
thanks to the 20 mm version,
which can be dry laid on sand, gravel or grass,
as well as installed as raised flooring
by using the specific support bases.*








Pavimento / Floor: HUP 9 Rivestimento / Wall: Muretto / HUP 10 - Factory Esagoni Beige - HUP 9



Pavimento / Floor: HUP 5 Rivestimento / Wall: CA 8



HUP 10 Rett.



HUP 10 - HUP 5



HUP 9



HUP 5 Rett.



HUP 10 Rett.
80x80 cm 32x32 in
■ 101

HUP 10
40x80 cm 16x32 in
■ 080

HUP 10 Rett.
40x80 cm 16x32 in
■ 091

Muretto / HUP 10*
30x60 cm 12x24 in
■ 222

Rialzi / HUP 10*
30x60 cm 12x24 in
■ 269

Factory Beige*
30x30 cm 12x12 in
■ 093

Listello Metal
1x60 cm 1 1/4x24 in ■ 034

Metal A
1x1 cm 1/4x1/4 in ■ 003

Listello Brushed Metal
1,5x80 cm 1/2x32 in ■ 034
1,5x60 cm 1/2x24 in ■ 034

HUP 10*
60x60 cm 24x24 in
■ 061

HUP 10*
30x60 cm 12x24 in
■ 056

HUP 10*
30x30 cm 12x12 in
■ 053

Mosaico / HUP 10*
30x30 cm 12x12 in
■ 180

Esagoni / HUP 10*
30x45 cm 12x18 in
■ 255

Factory Esagoni Beige*
30x45 cm 12x18 in
■ 255

• Soggetti assortiti
• Different designs
• Motive sortiert
• Sujets assortis

Pezzi Speciali Special Pieces • Formteile • Pièces spéciales

Battiscopa / HUP 10*
7,5x60 cm 3x24 in
Bullnose
Sockelleiste
Plinthes
■ 028

Battiscopa / HUP 10 Rett.
8x80 cm 3 1/8x32 in
Bullnose
Sockelleiste
Plinthes
■ 028

Gradone Lineare / HUP 10*
33x60 cm 13x24 in
Step
Stufe
Nez de marche
■ 109

Gradone Lineare Rett. / HUP 10
33x80 cm 13x32 in
Step
Stufe
Nez de marche
■ 150

Gradone Angolare Rett. / HUP 10
■ 128
Gradone Angolare / HUP 10*
■ 128
33x33 cm 13x13 in
Corner step / Eckstufe
Nez de marche angulaire

Package	80x80	40x80	60x60*	30x60*	30x30*	SHADE VARIATION			
Pieces	2	3	5	7	14				
Mq.	1,28	0,96	1,80	1,26	1,26	LOW	MODERATE	HIGH	RANDOM
Kg.	29,00	22,00	34,40	23,60	23,60	Price codes: ■ Mq. ■ Ml. ● Pieces			
Boxes	40	28	32	40	44				
Mq.	51,20	26,88	57,60	50,40	55,44				
Europallet Kg.	1127,00	638,00	1130,00	965,00	1060,00				

HUP 9 Rett.
80x80 cm 32x32 in
■ 101

HUP 9
40x80 cm 16x32 in
■ 080

HUP 9 Rett.
40x80 cm 16x32 in
■ 091

Muretto / HUP 9*
30x60 cm 12x24 in
■ 222

Rialzi / HUP 9*
30x60 cm 12x24 in
■ 269

Factory Beige*
30x30 cm 12x12 in
■ 093

Listello Metal
1x60 cm 1 1/4x24 in ■ 034

Metal A
1x1 cm 1/4x1/4 in ■ 003

Listello Brushed Metal
1,5x80 cm 1/2x32 in ■ 034
1,5x60 cm 1/2x24 in ■ 034

HUP 9*
60x60 cm 24x24 in
■ 061

HUP 9*
30x60 cm 12x24 in
■ 056

HUP 9*
30x30 cm 12x12 in
■ 053

Mosaico / HUP 9*
30x30 cm 12x12 in
■ 180

Esagoni / HUP 9*
30x45 cm 12x18 in
■ 255

Factory Esagoni Beige*
30x45 cm 12x18 in
■ 255

• Soggetti assortiti
• Different designs
• Motive sortiert
• Sujets assortis

Pezzi Speciali Special Pieces • Formteile • Pièces spéciales

Battiscopa / HUP 9*
7,5x60 cm 3x24 in
Bullnose
Sockelleiste
Plinthes
■ 028

Battiscopa / HUP 9 Rett.
8x80 cm 3 1/8x32 in
Bullnose
Sockelleiste
Plinthes
■ 028

Gradone Lineare / HUP 9*
33x60 cm 13x24 in
Step
Stufe
Nez de marche
■ 109

Gradone Lineare Rett. / HUP 9
33x80 cm 13x32 in
Step
Stufe
Nez de marche
■ 150

Gradone Angolare Rett. / HUP 9
■ 128
Gradone Angolare / HUP 9*
■ 128
33x33 cm 13x13 in
Corner step / Eckstufe
Nez de marche angulaire

SPESORE	RESISTENZA AL GELO	ASSORBIMENTO D'ACQUA	CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLO SCIOLAMENTO	ASCIUTTO	BAGNATO
THICKNESS	FROST RESISTANCE	WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	SLIPPING RESISTANCE	DRY	WET
STAERKE	FROSTBESTÄNDIGKEIT	WASSERAUFNAHME	ANWENDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	RUTSCHFESTIGKEIT	TROCKEN	NASS
ÉPAISSEUR	RESISTANCE AU GEL	ABSORPTION D'EAU	PIECE D'EMPLOI CONSEILLÉE	RESISTANCE CHIMIQUE	FACTEUR DE RESISTANCE ANTIGLISSANT	SEC	MOUILLE
10,3 mm *8,5 mm	RESISTANT ISO 10545.12	~0,1% ISO 10545.3		GA UNI EN ISO 10545.13 5 UNI EN ISO 10545.14	DIN 51130 DIN 51097 ANSI 137.1 (DCOF) BCRA	R 10 -	B ≥0,42 >0,40



Muretto / HUP 5*
30x60 cm 12x24 in
□222



Factory Gray*
30x30 cm 12x12 in
□093

HUP 5 Rett.
80x80 cm 32x32 in
□101

HUP 5
40x80 cm 16x32 in
□080

HUP 5 Rett.
40x80 cm 16x32 in
□091

Rialzi / HUP 5*
30x60 cm 12x24 in
□269



Listello Metal
1x60 cm 1 1/4x24 in □034

Listello Brushed Metal
1,5x80 cm 1/2x32 in □034
1,5x60 cm 1/2x24 in □034



Metal A
1x1 cm 1/4x1/4 in □003



Esagoni / HUP 5*
30x45 cm 12x18 in
□255



Factory Esagoni Gray*
30x45 cm 12x18 in
□255

• Soggetti assortiti
• Different designs
• Motive sortiert
• Sujets assortis

• Soggetti assortiti
• Different designs
• Motive sortiert
• Sujets assortis

HUP 5*
60x60 cm 24x24 in
□061

HUP 5*
30x60 cm 12x24 in
□056

HUP 5*
30x30 cm 12x12 in
□053

Mosaico / HUP 5*
30x30 cm 12x12 in
□180

Pezzi Speciali Special Pieces • Formteile • Pièces spéciales



Battiscopa / HUP 5*
7,5x60 cm 3x24 in
Bullnose
Sockelleiste
Plinthes
□028



Battiscopa / HUP 5 Rett.
8x80 cm 3 1/8x32 in
Bullnose
Sockelleiste
Plinthes
□028



Gradone Lineare / HUP 5*
33x60 cm 13x24 in
Step
Stufe
Nez de marche
□109



Gradone Lineare Rett. / HUP 5
33x80 cm 13x32 in
Step
Stufe
Nez de marche
□150



Gradone Angolare Rett. / HUP 5
□128
Gradone Angolare / HUP 5*
□128
33x33 cm 13x13 in
Corner step / Eckstufe
Nez de marche angulaire



HUP 15 Rett.
80x80 cm 32x32 in
□101



HUP 15
40x80 cm 16x32 in
□080

HUP 15 Rett.
40x80 cm 16x32 in
□091




Muretto / HUP 15*
30x60 cm 12x24 in
□222



Factory Gray*
30x30 cm 12x12 in
□093



HUP 15*
60x60 cm 24x24 in
□061




HUP 15*
30x60 cm 12x24 in
□056



Listello Metal
1x60 cm 1 1/4x24 in □034

Listello Brushed Metal
1,5x80 cm 1/2x32 in □034
1,5x60 cm 1/2x24 in □034



Metal A
1x1 cm 1/4x1/4 in □003



Esagoni / HUP 15*
30x45 cm 12x18 in
□255



Factory Esagoni Gray*
30x45 cm 12x18 in
□255

• Soggetti assortiti
• Different designs
• Motive sortiert
• Sujets assortis

• Soggetti assortiti
• Different designs
• Motive sortiert
• Sujets assortis

Pezzi Speciali Special Pieces • Formteile • Pièces spéciales



Battiscopa / HUP 15*
7,5x60 cm 3x24 in
Bullnose
Sockelleiste
Plinthes
□028



Battiscopa / HUP 15 Rett.
8x80 cm 3 1/8x32 in
Bullnose
Sockelleiste
Plinthes
□028



Gradone Lineare / HUP 15*
33x60 cm 13x24 in
Step
Stufe
Nez de marche
□109




Gradone Lineare Rett. / HUP 15
33x80 cm 13x32 in
Step
Stufe
Nez de marche
□150



Gradone Angolare Rett. / HUP 15
□128
Gradone Angolare / HUP 15*
□128
33x33 cm 13x13 in
Corner step / Eckstufe
Nez de marche angulaire

Package	80x80	40x80	60x60*	30x60*	30x30*
Pieces	2	3	5	7	14
Mq.	1,28	0,96	1,80	1,26	1,26
Kg.	29,00	22,00	34,40	23,60	23,60
Boxes	26	28	32	40	44
Mq.	51,20	26,88	57,60	50,40	55,44
Europallet Kg.	1127,00	638,00	1130,00	965,00	1060,00

SHADE VARIATION



Price codes: □ Mq. ■ Ml. □ Pieces

GRES PORCELLANATO A TUTTA MASSA
THROUGH-BODY PORCELAIN TILE
DURCHGEFÄRBTES FEINSTEINZEUG
LE GRÈS CÉRAME PLEINE MASSE

SPESORE	RESISTENZA AL GELO	ASSORBIMENTO D'ACQUA	CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLO SCIOLAMENTO	ASCIUTTO	BAGNATO
THICKNESS	FROST RESISTANCE	WATER ABSORPTION	RECOMMENDED USE	CHEMICAL RESISTANCE	SLIPPING RESISTANCE	DRY	WET
STAERKE	FROSTBESTÄNDIGKEIT	WASSERAUFNAHME	ANWENDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	RUTSCHFESTIGKEIT	TROCKEN	NASS
ÉPAISSEUR	RESISTANCE AU GEL	ABSORPTION D'EAU	PIECE D'EMPLOI CONSEILLÉE	RESISTANCE CHIMIQUE	FACTEUR DE RESISTANCE ANTIGLISSMENT	SEC	MOUILLE
10,3 mm *8,5 mm	RESISTANT ISO 10545.12	~0,1% ISO 10545.3		GA UNI EN ISO 10545.13 5 UNI EN ISO 10545.14	DIN 51130 DIN 51097 ANSI 137.1 (DCOF) BCRA	R 10 - >0,40	- B ≥0,42 >0,40



due 2

Gres porcellanato a tutta massa spessore 20 mm

*Through body porcelain 20 mm thickness
Durchgefärbtes Feinsteinzeug in 20 mm Stärke
Grès cérame pleine masse épaisseur 20 mm*

Interno / Indoor: HUP 5 Rett. Esterno / Outdoor: HUP 205



HUP 215 (40x40 cm - 16x16 in)





HUP 210
80x80 cm 32x32 in
154

HUP 210 Rett.
80x80 cm 32x32 in
171



HUP 205
80x80 cm 32x32 in
154

HUP 205 Rett.
80x80 cm 32x32 in
171



HUP 215
80x80 cm 32x32 in
154

HUP 215 Rett.
80x80 cm 32x32 in
171



HUP 209
80x80 cm 32x32 in
154

HUP 209 Rett.
80x80 cm 32x32 in
171



HUP 210
40x40 cm 16x16 in
118



HUP 210
20x20 cm 8x8 in
118



HUP 205
40x40 cm 16x16 in
118



HUP 205
20x20 cm 8x8 in
118



HUP 215
40x40 cm 16x16 in
118



HUP 215
20x20 cm 8x8 in
118



HUP 209
40x40 cm 16x16 in
118



HUP 209
20x20 cm 8x8 in
118

Pezzi Speciali Special Pieces • Formteile • Pièces spéciales



Gradone Lineare / HUP 210
80x80 cm 32x32 in
227
Gradone Lineare / HUP 210
40x40 cm 16x16 in
055
Gradone Lineare Rett. / HUP 210
80x80 cm 32x32 in
247
Step
Stufe
Nez de marche



Gradone Angolare / HUP 210
80x80 cm 32x32 in
317
Gradone Angolare / HUP 210
40x40 cm 16x16 in
097
Gradone Angolare Rett. / HUP 210
80x80 cm 32x32 in
317
Corner Step
Eckstufe
Nez de marche angulaire



Gradone Lineare / HUP 205
80x80 cm 32x32 in
227
Gradone Lineare / HUP 205
40x40 cm 16x16 in
055
Gradone Lineare Rett. / HUP 205
80x80 cm 32x32 in
247
Step
Stufe
Nez de marche



Gradone Angolare / HUP 205
80x80 cm 32x32 in
317
Gradone Angolare / HUP 205
40x40 cm 16x16 in
097
Gradone Angolare Rett. / HUP 205
80x80 cm 32x32 in
317
Corner Step
Eckstufe
Nez de marche angulaire



Gradone Lineare / HUP 215
80x80 cm 32x32 in
227
Gradone Lineare / HUP 215
40x40 cm 16x16 in
055
Gradone Lineare Rett. / HUP 215
80x80 cm 32x32 in
247
Step
Stufe
Nez de marche



Gradone Angolare / HUP 215
80x80 cm 32x32 in
317
Gradone Angolare / HUP 215
40x40 cm 16x16 in
097
Gradone Angolare Rett. / HUP 215
80x80 cm 32x32 in
317
Corner Step
Eckstufe
Nez de marche angulaire



Gradone Lineare / HUP 209
80x80 cm 32x32 in
227
Gradone Lineare / HUP 209
40x40 cm 16x16 in
055
Gradone Lineare Rett. / HUP 209
80x80 cm 32x32 in
247
Step
Stufe
Nez de marche



Gradone Angolare / HUP 209
80x80 cm 32x32 in
317
Gradone Angolare / HUP 209
40x40 cm 16x16 in
097
Gradone Angolare Rett. / HUP 209
80x80 cm 32x32 in
317
Corner Step
Eckstufe
Nez de marche angulaire



Posa tradizionale

Standard laying • Herkömmliche Verlegungsart • Pose traditionnelle



Posa su erba

Laying on grass • Verlegung auf Wiese • Pose sur pelouse




Posa su ghiaia o sabbia

Laying on gravel or sand • Verlegung auf Kies-oder Sand-Bett • Pose sur sable ou sur gravier



Posa sopraelevata

Raised laying • Verlegung auf Stelzlagern • Pose surélevée



Chiave di regolazione

Regulation Key
Einstellschlüssel
Clef de réglage

Q064



Set per bordo verticale

Set for vertical closure
Vertikale Kanten-Klammer-satz
Set pour bord vertical

Q038 / SET



Clip bordo piastra

Universal edge clip
Bodenkanten-Klammer
Clip bord plaque


Q009

Supporti regolabili con testa fissa

Adjustable pedestals with fixed head • Verstellbare Stütze mit festen Kopf • Plot réglable à tête fixe

PORTATA DEI SUPPORTI
PEDESTALS LOAD BEARING DETAILS
STELZLAGER-TRAGFAEHIGKEIT
PORTEE DES SUPPORTS


Carico operativo = 1000 kg cadauno. Carico di rottura > 2000 kg cadauno.
Operating load = 1000 kg each (2204 lbs). Breaking load > 2000 kg each (4409 lbs)
Nutzlast: 1000 Kg/Stk. Bruchlast: 2000 Kg/Stk
Charge opérationnelle = 1000 kg chacun. Charge de rupture > 2000 kg chacun



Supporto a testa fissa

10-15 mm 2/5 - 3/5 in


Q004



Supporto a testa fissa

25-40 mm 1 - 13/5 in


Q010



Supporto a testa fissa

40-70 mm 13/5 - 23/4 in

Q011



Supporto a testa fissa

60-100 mm 21/3 - 4 in


Q011

Supporti regolabili con testa autolivellante

Adjustable pedestals with self-levelling head • Verstellbare Stütze mit selbstnivellierendem Kopf • Plot réglable à tête auto-nivelante

PORTATA DEI SUPPORTI
PEDESTALS LOAD BEARING DETAILS
STELZLAGER-TRAGFAEHIGKEIT
PORTEE DES SUPPORTS


Carico operativo = 500 kg cadauno. Carico di rottura > 1000 kg cadauno.
Operating load = 500 kg each (1102 lbs). Breaking load > 1000 kg each (2204 lbs)
Nutzlast: 500 Kg/Stk. Bruchlast: 1000 Kg/Stk
Charge opérationnelle = 500 kg chacun. Charge de rupture > 1000 kg chacun



Supporto a testa autolivellante

28-38 mm 11/10 - 11/2 in


Q014



Supporto a testa autolivellante

37,5-50 mm 11/2 - 2 in


Q015



Supporto a testa autolivellante

50-75 mm 2 - 3 in

Q016



Supporto a testa autolivellante

75-120 mm 3 - 43/4 in

Q017

Prolunga per supporto 10-15 mm

Extension for 10-15mm pedestal

Rallonge pour support
10-15 mm

Höhenverstellstück für
Stelzlager 10-15 mm



± 5 mm

Prolunga per supporto

5 mm 1/5 in

Q002




Posa sopraelevata con correttori di pendenza

Raised laying with Slope regulators
Verlegung auf Stelzlagern mit Neigungsreglern
Pose surélevée avec correcteurs de pente




Superfici planari

Plane surfaces
Gleichen Ebenen Flächen
Surfaces planes



Superfici inclinate

Inclined surfaces
Flächen mit Neigungswinkel
Surfaces inclinées



1% Q002

Per pendenze superiori al 1% è possibile sovrapporre più correttori di pendenza. For slopes over 1%, two or more slope regulators can be piled up on each other. Bei Gefällen ueber 1% darf man mehreren Neigungsregler aufeinander verwenden. Pour des pentes supérieures à 1% on peut superposer plusieurs correcteurs de pente.

Package	80x80	40x40	20x20
Pieces	1	3	13
Mq.	0,64	0,48	0,52
Kg.	30,00	23,04	24,96
Boxes	26	48	45
Mq.	16,64	23,04	23,40
Kg.	795,00	1126,00	1144,00

SHADE VARIATION
LOW
MODERATE
HIGH
RANDOM

SPESORE	RESISTENZA AL GELO	ASSORBIMENTO D'ACQUA
THICKNESS	FROST RESISTANCE	WATER ABSORPTION
STAERKE	FROSTBESTÄNDIGKEIT	WASSERAUFNAHME
ÉPAISSEUR	RESISTANCE AU GEL	ABSORPTION D'EAU
20 mm	RESISTANT ISO 10545.12	~0,1% ISO 10545.3

CAMPO D'IMPIEGO CONSIGLIATO	RESISTENZA CHIMICA	RESISTENZA ALLA FLESSIONE	CARICO DI ROTTURA MEDIO IN POSA SOPRAELEVATA	RESISTENZA MECCANICA	RESISTENZA ALLO SCIVOLAMENTO	ASCIUTTO	BAGNATO
RECOMMENDED USE	CHEMICAL RESISTANCE	BENDING STRENGHT	AVERAGE BREAKING LOAD FOR RAISED FLOOR LAYING	MECHANICAL STRENGHT	SLIPPING RESISTANCE	DRY	WET
ANWENDUNGSBEREICH	BESTÄNDIGKEIT GEGEN CHEMIKALIEN	BIEGEFESTIGKEIT	DURCHSCHNITTLICHER BRUCHLAST BEI VERLEGUNG AUF STELZLAGER	MECHANISCHE FESTIGKEIT	RUTSCHFESTIGKEIT	TROCKEN	NASS
PIECE D'EMPLOI CONSEILLÉE	RESISTANCE CHIMIQUE	RÉSISTANCE AU POINÇONNEMENT STATIQUE	CHARGE DE RUPTURE MOYEN EN POSE SURÉLEVÉE	RÉSISTANCE MÉCANIQUE	FACTEUR DE RESISTANCE ANTIGLISSEMENT	SEC	MOUILLE
GA UNI EN ISO 10545.13	5 UNI EN ISO 10545.14	~50 N/mm² EN 14411 B1a	80x80 Classe 1 (~6,00 kN) 40x40 Classe 2 (~8,00 kN) 20x20 Classe 4 (~10,00 kN) EN 12825	U 11 U 14 EN 1339	DIN 51130 DIN 51097 ANSI 137.1 (DCOF) BCRA	R 11 >0,40	- C ≥0,42 >0,40



Pavimento / Floor:
HUP 10
Esagoni / HUP 10

Rivestimento / Wall:
UP 10
Gothic / UP 10
Factory



UP 10 - Gothic / UP 10



Pavimento / Floor:
HUP 15

Rivestimento / Wall:
UP 5 - Gothic / UP 5
Rialzi / HUP 10



UP 10 / Bianco
20x50 cm 8x20 in
067



Gothic / UP 10
8x20 cm 3 1/8 x 8 in
018
• 12 Soggetti
• 12 Designs
• 12 Motive
• 12 Sujets



UP 5 / Grigio
20x50 cm 8x20 in
067



Gothic / UP 5
8x20 cm 3 1/8 x 8 in
018
• 12 Soggetti
• 12 Designs
• 12 Motive
• 12 Sujets



Upgrade S / UP 10
5x50 cm 2x20 in
045



Upgrade AEP UP 10
057



Upgrade S / UP 5
5x50 cm 2x20 in
045



Upgrade AEP UP 5
057



UP 9 / Noce
20x50 cm 8x20 in
067



Gothic / UP 9
8x20 cm 3 1/8 x 8 in
018
• 12 Soggetti
• 12 Designs
• 12 Motive
• 12 Sujets



UP 15 / Antracite
20x50 cm 8x20 in
067



Gothic / UP 15
8x20 cm 3 1/8 x 8 in
018
• 12 Soggetti
• 12 Designs
• 12 Motive
• 12 Sujets



Upgrade S / UP 9
5x50 cm 2x20 in
045



Upgrade AEP UP 9
057



Upgrade S / UP 15
5x50 cm 2x20 in
045



Upgrade AEP UP 15
057



Factory
20x20 cm 8x8 in
112

- Soggetti assortiti
- Different designs
- Motive sortiert
- Sujets assortis

L'assortimento dei soggetti all'interno della scatola è casuale.
The assortment of the various subject on each box is to be considered randomized.
Die Zusammenstellung jeder Verpackungseinheit erfolgt wahllos.
L'assortiment des sujets dans la boîte est aléatoire.



Factory S
4x20 cm 1 5/8 x 8 in
020

- Soggetti assortiti
- Different designs
- Motive sortiert
- Sujets assortis



Factory AEP
041

Steel
0,5x50 cm 2 1/8 x 20 in
041

Package	20x50	20x20
Pieces	12	27
Mq.	1,20	1,08
Kg.	21,00	17,50
Boxes	48	60
Mq.	57,60	64,80
Europallet Kg.	1028,00	1071,00

SHADE VARIATION

LOW	MODERATE	HIGH	RANDOM

Price codes: ■ Mq. ■ Ml. ■ Pieces

FIRE

PRODOTTI CERAMICI PER RIVESTIMENTI	SPESORE
CERAMIC WALL TILES	THICKNESS
KERAMISCHE WANDFLIESEN	STAERKE
PRODUITS CÉRAMIQUES POUR RÊVÈTEMENT	ÉPAISSEUR



10 mm



Gothic / UP 5
8x20 cm 3 1/8 x 8 in

- 12 Soggetti
- 12 Designs
- 12 Motive
- 12 Sujets

HARD

Gres porcellanato a tutta massa
Through-body porcelain tile - Durchgefärbtes Feinsteinzeug - Le grès cérame pleine masse

due 2

Gres porcellanato a tutta massa spessore 20 mm
Through body porcelain 20 mm thickness - Durchgefärbtes Feinsteinzeug in 20 mm Stärke - Grès cérame pleine masse épaisseur 20 mm

FIRE

Prodotti ceramici per rivestimenti
Ceramic wall tiles - Keramische Wandfliesen - Produits céramiques pour revêtement



Ceramica Faetano S.p.a.
Strada del Marano, 24 - 47896 Faetano - Repubblica di San Marino
Tel. (+378) 0549 996037 - Fax (+378) 0549 996038
www.delconca.com - info@delconca.com

