

percorsi quartz





BLACK
30x60 (12"x24")



BLACK
60x60 (24"x24") - 30x60 (12"x24")

BLACK
60x60 (24"x24") - 30x60 (12"x24")

SAND
30x60 (12"x24") - 20x60 (8"x24")



percorsi quartz sand



SAND
60x60 (24"x24") - 40x60 (16"x24") -
30x60 (12"x24") - 20x60 (8"x24")



SAND
60x60 (24"x24") - 40x60 (16"x24") -
30x60 (12"x24") - 20x60 (8"x24")

GREY
30x60 (12"x24")



percorsi quartz grey



WHITE
30x60 (12"x24")




WHITE
30x60 (12"x24")

V2

STONALIZZAZIONE/
SHADING

BLACK V2



SAND V2



GREY V2



WHITE V2



4 COLORI/ COLORS

PERCORSI QUARTZ BLACK



PERCORSI QUARTZ SAND




PERCORSI QUARTZ GREY




PERCORSI QUARTZ WHITE



5 FORMATI/ SIZES



- ▲ 60x60 (24"x24") RT 9 mm
- ▲ 60x60 (24"x24") RT ➔ K2 20 mm



- ▲ 40x60 (16"x24") RT 9 mm




- ▲ 30x60 (12"x24") RT 9 mm




- ▲ 20x60 (8"x24") RT 9 mm

7 PEZZI SPECIALI/ TRIMS




- ▲ BATTISCOPIA
7,2x60 (2,8"x24") RT 9 mm




- ▲ SCALINO CON PROFILO INCOLLATO
33x60 (13"x24") RT 9 mm



- ▲ SCALINO MONOLITICO
30x33 (12"x13") RT 10 mm



- ▲ SCALINO ANGOLARE CON PROFILO INCOLLATO
33x33 (13"x13") RT 9 mm



- ▲ SCALINO ANGOLARE MONOLITICO
33x33 (13"x13") RT 10 mm



- ▲ TERMINALE L INCOLLATO
30x4x15 (12"x13/4"x6") RT 9 mm




- ▲ TERMINALE L MONOLITICO
30x3,8x16,5 (12"x11/2"x61/2") N.RT 10 mm


● Natural R9 | ▲ Structured R11

2

DECORI/ DECORS



CODA DI PAVONE
▲ 104x57 (41^{3/4}”x22^{7/8}”) RT 9 mm
(TOZZETTI: 6x7,5 - 21/2”x3” - 7,5x7,5 - 3”x3”)



PERCORSI QUARTZ BLACK




PERCORSI QUARTZ SAND



PERCORSI QUARTZ GREY



PERCORSI QUARTZ WHITE



MOSAICO BURATTATO
▲ 31x31 (12^{1/2}”x12^{1/2}”) RT 9 mm
(TOZZETTO: 7,5x7,5 - 3”x3”)



PERCORSI QUARTZ BLACK



PERCORSI QUARTZ SAND




PERCORSI QUARTZ GREY




PERCORSI QUARTZ WHITE

10


PEZZI SPECIALI K₂/ TRIMS K₂




ANGOLARE BORDO CON TORO
▲ 30x30 (12”x12”) RT 20 mm




GRADINO BORDO CON TORO
▲ 30x60 (12”x24”) RT 20 mm




TOP BORDO TORO
▲ 30x60 (12”x24”) RT 20 mm




GRADINO ANGOLO INTERNO BORDO CON TORO
▲ 30x60 (12”x24”) RT 20 mm




GRADINO ANGOLO ESTERNO BORDO CON TORO
▲ 30x60 (12”x24”) RT 20 mm




GRIGLIA
▲ 15x60 (6”x24”) RT 20 mm




ANGOLARE GRIGLIA
▲ 15x60 (6”x24”) RT 20 mm



CORDOLO L
▲ 60x20x15 (24”x8”x6”) RT 20 mm



SCALINO INCOLLATO
▲ 33x60x5 (13”x24”x2”) RT 20 mm



TERMINALE L
▲ 60x20x5 (24”x8”x2”) RT 20 mm

FORMATI / SIZES

	60x60 24”x24”	40x60 16”x24”	30x60 12”x24”	20x60 8”x24”	60x60 24”x24”
working size	596x596	396x596	297x596	197x596	596x596
	RT	RT	RT	RT	RT
	9 mm	9 mm	9 mm	9 mm	K ₂ 20 mm
PERCORSI QUARTZ BLACK	●▲	●▲	●▲	●▲	▲
PERCORSI QUARTZ SAND	●▲	●▲	●▲	●▲	
PERCORSI QUARTZ GREY	●▲	●▲	●▲	●▲	
PERCORSI QUARTZ WHITE	●▲	●▲	●▲	●▲	▲

● Natural R9 | ▲ Structured R11

PERCORSI


SPECIFICHE TECNICHE/ TECHNICAL FEATURES

GRES PORCELLANATO TUTTA MASSA UGL
FULL-BODY PORCELAIN UGL

SPESSORI *THICKNESSES*

9 mm (60x120 - 60x60 - 40x60 - 30x60 - 20x60 - 30x30 - 15x30)
20 mm (120x240 - 30x240 - 120x120 - 60x120 - 30x120 - 45x90 - 60x60)
30 mm (60x60)

STONALIZZAZIONE *SHADING*



CLASSIFICAZIONE ANTISDRUCCIOLO *ASSESSMENT OF SLIP RESISTANCE*

DIN 51130 R9 - R10 - R11
DIN 51097 A - A+B - A+B+C
COF Conforme/ *Compliant*
DCOF Conforme/ *Compliant*
PENDULUM + 36 PTV 96 P. EXTRA 60x120 - 60x60 - 30x60
