


INDIC CUBIK

Monoporosa Rectificado

Rectified Wall Tiles



PERFIL / PERFIL

1.5x45 cm (x15.0 mm) 5/8"x17 3/4"
INDIC 100253566 - V7590611 - G92
INDIC GLOSS 100253592 - V7590607 - G92



INDIC

45x120 cm (x10.0 mm) 17 3/4"x47 1/4"
100244485 · V3080068 · G270
Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



INDIC GLOSS

45x120 cm (x10.0 mm) 17 3/4"x47 1/4"
100244502 · V3080073 · G270
Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



EMBALAJE PACKAGING Modelo Model	x CAJA BOX			x PALET			ADHESIVO*
	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	Butech
Indic 45x120 cm	3	1.62	29.66	40	64.80	1187	One-flex Premium / Fr-one n
Perfil 1.5x45 cm	20	0.27	3.64	56	15.12	204	

(1)Valores aproximados. Approximated values

*Recomendación para soporte de mortero en interiores. *Interior installation over cement mortar substrate

PAVIMENTO COMBINABLE

FLOOR TILE COMBINATIONS
INDIC & INDIC GLOSS 59.6x59.6 cm
INDIC & INDIC GLOSS 80x80 cm



INDIC CUBIK

Monoporosa Rectificado
Rectified Wall Tiles



RECTIFICADO
RECTIFIED



V3
DESTONIFICACIÓN
TONAL VARIATION



MATE
MATT

CUBIK INDIC

45x120 cm (x12.0 mm) 17 3/4"x47 1/4"

100244471 - V3080077 - G274

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



BRILLO
GLOSS

CUBIK INDIC GLOSS

45x120 cm (x12.0 mm) 17 3/4"x47 1/4"

100244498 - V3080074 - G274

Butech: *Recomienda junta / Recommends joint*

Colorstuk Rapid N Gris 100236834 - B21522258



PAVIMENTO COMBINABLE
FLOOR TILE COMBINATIONS
INDIC & INDIC GLOSS 59.6x59.6 cm
INDIC & INDIC GLOSS 80x80 cm

EMBALAJE PACKAGING	CAJA BOX			PALET			ADHESIVO*
	Modelo Model	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)
Cubik 45x120 cm	3	1.62	32.19	36	58.32	1159	One-flex Premium / Fr-one n

(1)Valores aproximados. *Approximated values*
*Recomendación para soporte de mortero en interiores. **Interior installation over cement mortar substrate*






INDIC

Gres Porcelánico Rectificado / Color Masa

Rectified Porcelain Tiles / Coloured Biscuit



INDIC
80x80 cm (x11.1 mm) 31 1/2"x31 1/2"
100244492 · V5700074 · G369
Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



MATE
MATT



ZÓCALO / SKIRTING BOARDS
9x80 cm (x11.1 mm) 3 1/2"x31 1/2"
INDIC 100255375 - V7590627 - G063
INDIC GLOSS 100255714 - V7590625 - G070



HUELLA TÉCNICA (2) / STEP TILES (2)
31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"
INDIC 100253576 - V7710142 - G130
INDIC GLOSS 100253620 - V7710132 - G133

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.

No disponible en stock.

Consultar condiciones.

See *Technical Guide*.

Not in stock.

Check conditions



INDIC GLOSS
80x80 cm (x11.1 mm) 31 1/2"x31 1/2"
100244439 · V5700071 · G389
Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



ABRILLANTADO
BRIGHT

INDIC

Utilizar materiales de colocación
específicos para Gres Porcelánico
Use specific *Porcelain Tiles setting*
materials

EMBALAJE PACKAGING	x CAJA BOX			x PALET			ADHESIVO*
	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)	
Modelo Model							Butech
Indic 80x80 cm	2	1.28	32.97	40	51.20	1318	One-flex Premium / Super-flex S2
Zócalo 9x80 cm	12	0.86	22.36	42	36.29	939	
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	
Indic Gloss 80x80 cm	2	1.28	32.97	40	51.20	1318	

(1)Valores aproximados *Approximated values*


*Recomendación para soporte de mortero en interiores **Interior installation over cement mortar substrate*

REVESTIMIENTO COMBINABLE
WALL TILE COMBINATIONS
INDIC & INDIC GLOSS 45x120 cm.



INDIC

Gres Porcelánico Rectificado / Color Masa
Rectified Porcelain Tiles / Coloured Biscuit



MATE
MATT

INDIC

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
100244491 - V2609906 - G354

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



ABRILLANTADO
BRIGHT

INDIC GLOSS

59.6x59.6 cm (x10.5 mm) 23 1/2"x23 1/2"
100244445 - V5590900 - G369

Butech: *Recomienda junta / Recommends joint*
Colorstuk Rapid N Gris 100236834 - B21522258



ZÓCALO / SKIRTING BOARDS

9x59.6 cm (x10.5 mm) 3 1/2"x23 1/2"
INDIC 100255374 - V4460094 - G030

INDIC GLOSS 100255386 - V4460093 - G042



HUELLA TÉCNICA (2) / STEP TILES (2)

31.6x59.6 cm (x31.5 mm) 12 1/2"x23 1/2"
INDIC 100253576 - V7710142 - G130

INDIC GLOSS 100253620 - V7710132 - G133

(2) HUELLA TÉCNICA ESQUINA DE / IZ

(2) LEFT / RIGHT CORNER STEP TILES

Consultar guía técnica.

No disponible en stock.

Consultar condiciones.

See Technical Guide.

Not in stock.

Check conditions

INDIC

Utilizar materiales de colocación
específicos para Gres Porcelánico
*Use specific Porcelain Tiles setting
materials*



REVESTIMIENTO COMBINABLE
WALL TILE COMBINATIONS
INDIC & INDIC GLOSS 45x120 cm.

EMBALAJE PACKAGING	CAJA BOX			PALET			ADHESIVO*
	Modelo Model	Piezas	M ² (1)	Kg (1)	Caja	M ² (1)	Kg (1)
Indic 59.6x59.6 cm	4	1.42	33.92	32	45.47	1086	One-flex Premium /
Zócalo 9x59.6 cm	18	0.97	22.70	56	54.07	1271	Fr-one n
Huella Técnica 31.6x59.6 cm	2	0.42	12.00	48	19.97	576	
Indic Gloss 59.6x59.6 cm	4	1.42	33.92	32	45.47	1086	

(1)Valores aproximados *Approximated values*

*Recomendación para soporte de mortero en interiores **Interior installation over cement mortar substrate*



